

University of Medicine and Pharmacy of Craiova
Medical Students Society of Craiova
Medical Board of Dolj County

**XVth Edition of
Craiova International Medical Students
Conference**

**7th – 10th November 2013
Craiova, Romania**

VASCULARIZATION OF PROXIMAL FEMORAL EXTREMITY - AN ANATOMIC STUDY

.....35

AUTHOR: BOLOGA RAMONA - ANDREA

CO-AUTHORS: STANCU ANDRA MARIA, DRAGUSIN OANA CATALINA, TUFESI RAMONA-MIRABELA, FREDESCU MIRONA

MEDICAL RESEARCH**ANATOMY OF THE OVARIES IN EARLY FETUSES**.....37

AUTHOR: HLADYSH LIUDMYLA

CO-AUTHORS: D.V. PRONIAIEV, LARSENIUK

ASSESSMENT OF VERTEBRAL FRACTURES OCCURRED IN PATIENTS WITH RHEUMATOID ARTHRITIS - CORRELATION WITH DISEASE ACTIVITY SCORE38

AUTHOR: TEODorescu CLAUDIU

CO-AUTHORS: MARIAN IULIA-ANCA, SERBAN REBECCA-CRISTINA, MARINEAJA MARIETA-MADALINA

ATRIAL SEPTAL DEFECT39

AUTHOR: CEM NAKICI

CO-AUTHORS: HASAN AKGÜL, SADI SAYLI

CARDIORENAL SYNDROME IN PATIENTS WITH ACUTE DECOMPENSATED HEART FAILURE - CLINICAL AND PATHOPHYSIOLOGICAL CHARACTERISTICS 40

AUTHOR: VOICULESCU CALIN-ALEXANDRU

CO-AUTHORS: OREZANU ANDREI, UNGUREANU ADRIAN-IONUT, FLORICEL GEORGIANA, VASILESCU ANDREI

CATHEPSIN-D EXPRESSION IN BREAST LESION41

AUTHOR: TACHIMAZIDZIU EVA

CO-AUTHORS: GHEORGHE ALEXANDRA MARIA, FIROIU SILVIA-MIRABELA, BIBAN GEORGIANA-BIANCA

CHANGES OF CHORIONIC GONADOTROPIN, HUMAN PLACENTAL LACTOGEN AND PROTEIN SP1 IN CHORION IN CASE OF MISSED MISCARRIAGE.....42

AUTHOR: PUSHKASHU ANASTASHA

CO-AUTHORS: Y.S. KARLYCHUK

CHARACTERISTICS OF DUODENAL MORPHOGENESIS DURING THE PERINATAL PERIOD43

AUTHOR: HURINA IRYNA

CO-AUTHORS: O.M. SLOBODIAN, D.V. PRONIAIEV

CHICK CHORIOALLANTOIC MEMBRANE AS A MODEL FOR THE STUDY OF DUPUYTREN'S FIBROMATOSIS44

AUTHOR: FARHANGEE ARSALAN

CO-AUTHOR: MOHAMMAD ASLIM KUNHAWARD, BUSAN ALINA-MIRABELA, BOLOGA VIRGINIA, AHMAD WAHEED GHYASSI

CONTRIBUTIONS TO THE ALVEOLAR STAGE OF LUNG DEVELOPMENT45

AUTHOR: GIBLA PATRICIA

CO-AUTHORS: GHEORGHE ANDREEA GEORGIANA, GUGORIEVIC DENIS, GIBLA BIANCA MIRABELA, BOTGAN ANDREI-ALBERTO

CORRELATIONS BETWEEN PSYCHOMOTOR RETARDATION AND REASON OF HOSPITALIZATION IN CHILDREN HOSPITALIZED IN FIRST PEDIATRICS CLINIC.....46

AUTHOR: BUSAN ALINA-MIRABELA

CO-AUTHOR: BOLOGA VIRGINIA, ARTENE STEFAN-ALEXANDRU, FARHANGEE ARSALAN, DONDERA ANA-MARIA

CORRELATIONS BETWEEN THE CEREBRAL BLOOD FLOW AND STROKE VOLUME DURING CEREBROVASCULAR ACCIDENTS IN RATS.....47

AUTHOR: BOBORELU ALEXANDRA-CRISTINA

CO-AUTHORS: BOZ S ANCA-COCURUTA, CIORDIANU CAMELIA-STEPANIA, ROMANESCU MARIA-LIVIA, STANESCU CARMEN

CORVITIN ADMINISTRATION IN PATIENTS WITH ISCHEMIC HEART DISEASE48

AUTHOR: RYBAR OLGA

CO-AUTHORS: IRYNA ORODNIAR

EARLY H/D OUTCOME IN METHANOL POISONING49

AUTHOR: MOHAMED ABU-GAUSH

CO-AUTHORS: AHMED BAZZA

EFFECTIVENESS OF THIOPHETIN (GLUTOXIM) IN THE COMPLEX TREATMENT OF CHRONIC ALCOHOLIC HEPATITIS50

AUTHOR: YEVENENIA PARASTYENKA

CO-AUTHORS: -

EPIDEMIOLOGY OF CERVICAL CANCER IN DOLU COUNTY DURING 1982-201251

AUTHOR: PLESA OANA ELENA

CO-AUTHORS: ARTENE STEFAN-ALEXANDRU, POTIRCA ELENA DIANA, VOICUREANU ANCA, OREZANU ANDREI, PANBURU FLORIN-MIRABELA

HELLP SYNDROME COMPLICATED WITH HEPATIC SUBCAPSULAR HEMATOMA .52

AUTHOR: VIRTOPEANU IULIA-ALICE

CO-AUTHOR: VOINEX MIHAI-VICTOR, POPA MIHAIL IOAN, UNGUREANU MOPHORA IULIA, VOICU ADELA MARIA

HEPATORENAL SYNDROME IN CIRRHOSIS.....53

AUTHOR: POPA MIHAIL IOAN

CO-AUTHORS: VOINEX MIHAI-VICTOR, VIRTOPEANU IULIA-ALICE, DIRU CATALINA MARIA, PIRVU ANA-MARIA FLORIANA

ANATOMY OF THE OVARIES IN EARLY FETUSES

Author: Hladysh Liudmyla

Co-authors: D.V.Proniaiev, I.Arseniuk

Coordinator: -

Bukovinian State Medical University, Chernivtsi, Ukraine

Medical Research

Introduction. A research of the consistent patterns of the forming of the structure and topography of a fetus is of great importance for understanding the mechanisms of the form-building of organs. Material and methods. The study was carried out on 50 human fetuses aged 4-7 months, employing the method of thin sectioning under the control of a binocular magnifier and morphometry. Results. The right ovary in some fetus consists of three lobes: the uterine, two intermediate and tubal. The names of the lobes are determined on the topographic principle, namely: the uterine lobe forms the uterine extremity of the ovary, the tubal one - the tubal extremity of the ovary, while the lobes located between the latter are called intermediate. The right ovary of an elongated form is located in the abdominal cavity obliquely. The total length of the ovary is 7.2 mm, whereas its separate lobes - 3.3 mm, 2 mm and 2.5 mm respectively, the width - 2.5 mm, the thickness - 2 mm. The left ovary of an elongated flattened form is located in the abdominal cavity slantwise. The overall length of the ovary is 7 mm, the width - 2.2 mm, the thickness - 2 mm. The proper ligament of the ovary, 1.5 mm in length is attached to the right border of the uterus below the uterine tube. Conclusion: At the beginning of the fetal period of the development of the internal female genital organs a marked variability of the form and location of the ovaries, the uterine tubes, their mesenteries and ligaments is identified.