

МІНІСТЕРСТВО ОХОРОНИ ЗДОРОВ'Я УКРАЇНИ
БУКОВИНСЬКИЙ ДЕРЖАВНИЙ МЕДИЧНИЙ УНІВЕРСИТЕТ
ДЕПАРТАМЕНТ ОХОРОНИ ЗДОРОВ'Я ЧЕРНІВЕЦЬКОЇ ОБЛАСНОЇ ДЕРЖАВНОЇ АДМІНІСТРАЦІЇ
ГРОМАДСЬКА ОРГАНІЗАЦІЯ «АСОЦІАЦІЯ ТЕРАПЕВТІВ БУКОВИНИ»



Науково-практична конференція з міжнародною участю
«АКТУАЛЬНІ ПРОБЛЕМИ КОМОРБІДНОСТІ
У КЛІНІЦІ ВНУТРІШНЬОЇ МЕДИЦИНИ»

ТЕЗИ ДОПОВІДЕЙ

присвячена 100-річчю від Дня народження
професора Самсон Олени Іларіонівни



м. Чернівці

15-16 квітня 2021 року

**Міністерство охорони здоров'я України
Буковинський державний медичний університет
Департамент охорони здоров'я
Чернівецької обласної державної адміністрації
Громадська організація «Асоціація терапевтів Буковини»**

**Актуальні проблеми коморбідності
в клініці внутрішньої медицини**

**Матеріали науково-практичної конференції
з міжнародною участю
(15-16 квітня 2021 року)**

**м. Чернівці,
2021**

УДК: 616.1/4-008.9-07-08(063)

ББК: 54.15я434

М54

Актуальні проблеми коморбідності в клінці внутрішньої медицини:
Матеріали науково-практичної конференції з міжнародною участю
(Чернівці, 15-16 квітня 2021 р.) – Чернівці: Медуніверситет, 2021. – 168 с.

У збірнику представлені матеріали тез науково-практичної конференції з міжнародною участю «Актуальні проблеми коморбідності в клінці внутрішньої медицини» (Чернівці, 15-16 квітня 2021 р.) із стилістикою та орфографією у авторській редакції. Публікації присвячені актуальним проблемам гастроентерології, кардіології, нефрології, пульмонології, ревматології. Наукова та загальна редакція – професор, д.мед.н. О.І.Федів

Наукові рецензенти:

доктор медичних наук, професор Л.О.Зуб

доктор медичних наук, доцент Л.О.Волошина

Буковинський державний
медичний університет, 2021

THE RISK OF DEVELOPING GASTROPATHY IN ELDERLY PATIENTS IN THE TREATMENT OF OSTEOARTHRITIS

Kvasnytska O. B. , Hrytsiuk M. O.

Bukovinian State Medical University

Chernivtsi, olgakvasnytska370@gmail.com

Prescribing nonsteroidal anti-inflammatory drugs (NSAIDs) is a very important aspect in the treatment of patients with osteoarthritis, as these drugs have anti-inflammatory and analgesic effects and are usually prescribed for a long time - for months and years. This causes a number of side effects, especially from the digestive tract. The incidence of erosions and ulcers in such patients is 10–30%, which is significantly higher than the average incidence of this pathology in the population of people not taking NSAIDs. Old age is the most significant risk factor. In the process of aging, the risk increases linearly by 4% each year. The frequency of gastropathies in elderly patients taking NSAIDs exceeds the frequency of erosions and ulcers in patients with gastroenterological profile. The elderly have a tendency not only to the rapid onset (within the first 30 days) of NSAID gastropathy, but also to the rapid development of its complications - bleeding and perforations.

The aim of the study was to identify the effect of various drugs from the group of NSAIDs on the upper gastrointestinal tract (GI tract) in the elderly and senile in the treatment of osteoarthritis in the first month of treatment.

Material and methods of research. The 39 patients, aged 65 to 79 years, with osteoarthritis were examined. The patients had no history of gastrointestinal pathology as well as no clinical and endoscopic data indicating pathology of the upper gastrointestinal tract at the time of examination. All patients were divided into three groups: group 1 - 12 patients receiving non-selective COX-2 inhibitor diclofenac, group 2 - 14 patients receiving selective COX-2 inhibitor movalis, group 3 - 13 patients who did not receive NSAIDs in treatment regimens . The treatment lasted for 1 month. All patients underwent gastroduodenofibroscopy before and after treatment, and all were consulted by a gastroenterologist.

The results of the study showed that in patients of group 3 in 30.7% of cases at the end of treatment were found changes in the gastric mucosa, which are not associated with NSAIDs and clinically manifested by nothing. In the 1st group, NSAIDs caused inflammatory, erosive and ulcerative changes in the mucous membrane of the stomach and duodenum in all patients, and in the 2nd - in 71.4% of patients. Signs of bleeding from ulcerative defects were found in 5 patients receiving diclofenac.

Conclusions. Basic drug therapy in elderly and senile patients with osteoarthritis can lead to damage to the mucous membrane of the gastroduodenal area, which is often asymptomatic. The appointment of NSAIDs in this category of patients, even selectively and with short-term use, increases the risk of gastro- and duodenopathy and requires the simultaneous appointment of drugs with cytoprotective action.

ОЦІНКА ВПЛИВУ ПОЄДНАНОЇ ПАТОЛОГІЇ НА ПАРАМЕТРИ ЕКСТРАСИСТОЛІЧНОГО КОМПЛЕКСУ ЗА ДОПОМОГОЮ ВЛАСНОГО ПРОГРАМНОГО ЗАБЕЗПЕЧЕННЯ	
Іванчук П.Р., Ташук В.К.....	49
УЧАСТЬ ЦИТОКІНІВ У ФОРМУВАННІ ХРОНІЧНОГО ЗАПАЛЕННЯ У ХВОРИХ НА ХРОНІЧНИЙ БРОНХІТ НА ФОНІ ХЕЛІКОБАКТЕРІОЗУ	
Карандаш Н.П., Лоскутов А.Л.	51
ПАРАЗИТОЗИ ЯК КОМОРБІДНИЙ СТАН У ХВОРИХ НА АКНЕ	
Карвацька Ю.П.	53
СЕНСИБІЛІЗАЦІЯ ДО ГРИБКОВИХ АЛЕРГЕНІВ У ХВОРИХ НА ЦУКРОВИЙ ДІАБЕТ	
Каспрук Н.М.	55
КОЛОРЕКТАЛЬНИЙ РАК: ЕПІДЕМІОЛОГІЯ ТА СКРИНІНГ	
Квасницька О.Б.	58
THE RISK OF DEVELOPING GASTROPATHY IN ELDERLY PATIENTS IN THE TREATMENT OF OSTEOARTHRITIS	
Kvasnytska O. B. , Hrytsiuk M. O.	60
ANTIOXIDANT THERAPY AS AN ELEMENT OF PATHOGENETIC CORRECTION OF HEPATORENAL DYSFUNCTION IN PATIENTS WITH CHRONIC HEPATITIS	
Kvasnytska O. B. , Pyzhyk M. A.	62
ОСОБЛИВОСТІ СТАТЕВОГО ДИМОРФІЗМУ В ПЕРЕБІГУ ГОСТРОГО Q- ІНФАРКТУ МІОКАРДА ПІСЛЯ КОРОНАРНОГО СТЕНТУВАННЯ	
Кисельов С.М., Савченко Ю.В.	64
ФАРМАКОТЕРАПІЯ ЕНАЛАПРИЛОМ ЕКСПЕРИМЕНТАЛЬНОЇ НЕЙРОДЕГЕНЕРАЦІЇ ІНДУКОВАНОЇ ЦУКРОВИМ ДІАБЕТОМ 2 ТИПУ У ЩУРІВ	
Кметь О.Г.	67
КОРЕКЦІЯ ЛІПІДНОГО СПЕКТРА КРОВІ У ХВОРИХ НА НЕАЛКОГОЛЬНИЙ СТЕАТОГЕПАТИТ ТА ЦУКРОВИЙ ДІАБЕТ ТИПУ 2 ЗАЛЕЖНО ВІД СТАДІЇ ДІАБЕТИЧНОЇ ХВОРОБИ НИРОК	
Коцюбійчук З.Я.	69
КРИТЕРІЇ ПРОГНОЗУ ТА ВИНИКНЕННЯ СУПУТНОЇ ПАТОЛОГІЇ НИРОК У ХВОРИХ НА РЕВМАТОЇДНИЙ АРТРИТ	
Кулачек В.Т., Зуб Л.О., Руснак І.Т., Кулачек Я.В.	72
РІВЕНЬ ВІТАМІНУ D У СИРОВАТЦІ КРОВІ ХВОРИХ НА ХРОНІЧНИЙ ПАНКРЕАТИТ ТА ХРОНІЧНЕ ОБСТРУКТИВНЕ ЗАХВОРЮВАННЯ ЛЕГЕНЬ З УРАХУВАННЯМ ПОЛІМОРФІЗМУ Bsm1 ГЕНУ РЕЦЕПТОРА ВІТАМІНУ D	
Лазарук Т.Ю., Федів О.І.	74
ОЦІНКА ПСИХОСОМАТИЧНИХ АСПЕКТІВ У ЖІНОК З ТОТАЛЬНОЮ АЛОПЕЦІЄЮ	
Левицька І.М., Сизон О.О., Бабак І.Д., Вольбин С.В., Дашко М.О.	76