



			(14.00 02.00)	-
(,)			24	-
			150-180 .	-
, -			,	-
, [4, 10].			,	-
, ()			()	-
, -			(- 12.00 : 12.00 ,	-
() ()			08.00 20.00	-
			,	-
(), -			500)	-
- ()			(-
			00 :24.00 ,	-
)	-
				-
, [2, 8] .				-
()				-
, ()				-
				-
-fos [6, 7, 11].				-
				-
-Fos [5, 9].			VIDAS-386	-
			()	-
				-
, [1, 4].				-
				-
			14.00 .	-
			55,11 ± 0,608 2	-
			9,3 ± 1,08 %	-
				-
(-
7) (00 :24.00)			22,8 ±	-
			20,1 ±	-
				-
			2,85%	-
			2,18%	-





<p>1. : -</p> <p>. //</p> <p>. - 2007. - 1 (19). - 4-</p> <p>7.</p> <p>2. -</p> <p>/ , -</p> <p>- , // .</p> <p>. - 2005. - 4. -</p> <p>.38-45.</p> <p>3. -</p> <p>-</p> <p>/ , //</p> <p>. - 1996. - . 110, 4. - .37-</p> <p>41.</p> <p>4. -</p> <p>/ ,</p> <p>. . . . // -</p> <p>2003. - .34, 4. - .37-53.</p> <p>5. -</p> <p>/ -</p> <p>, , [</p>	<p>.] // - 2006. -</p> <p>.3, 2. - . 120-123.</p> <p>6. Arendt J. Melatonin: characteristics, concerns, and prospects / J.Arendt // J. Biol. Rhythms. - 2005. - Vol.20. - P.291-303.</p> <p>7. Ekmekcioglu C. Melatonin receptors in humans: biological role and clinical relevance / C. Ekmekcioglu // Biomed. Pharmacother. - 2006. - Vol.60, N3. - P.97-108.</p> <p>8. Golombek D.A. Neurochemistry of mammalian entrainment: Signal transduction pathways in the suprachiasmatic nuclei / D.A.Golombek, G.A.Ferreyra, M.E Katz // Biol. Rhythm Res. - 2000. - Vol.31, N1. - P.56-70.</p> <p>9. Hannibal . Light-dependent induction of c-Fos during subjective day and night in PACAP-containing ganglion cells of the retinohypothalamic tract / .Hannibal, N. Vrang. - J. Biol. Rhythms. - 2001. - Vol. 16, No. 5. - P.457-470.</p> <p>10. Kalsbeek A., Cutrera R., van Heerikhuizen G. et al. GABA release from suprachiasmatic nucleus terminals is necessary for the light-induced inhibition of nocturnal melatonin release in the rat // Neuroscience. - 1999. Vol.91. - P.453-461.</p> <p>11. Reiter R. J. Melatonin: clinical relevance / R. J. Reiter // Best Pract. Res. Clin. Endocrinol. Metab. - 2003. - Vol. 17, N 2. - P.273-280.</p>
---	---

